










# Thule Rapid System Kit 1689

# > Instructions

**LEXUS GS250**, 4-dr Sedan, 12-  
**LEXUS GS350**, 4-dr Sedan, 12-  
**LEXUS GS450**, 4-dr Sedan, 12-





ISO 11154-E



# 1

|                                      | X (scale)   | X (mm)     | X (inch)      |
|--------------------------------------|-------------|------------|---------------|
| <b>LEXUS GS250</b> , 4-dr Sedan, 12- | <b>34,5</b> | <b>996</b> | <b>39 1/4</b> |
| <b>LEXUS GS350</b> , 4-dr Sedan, 12- | <b>34,5</b> | <b>996</b> | <b>39 1/4</b> |
| <b>LEXUS GS450</b> , 4-dr Sedan, 12- | <b>34,5</b> | <b>996</b> | <b>39 1/4</b> |





|                                      | Y (scale) | Y (mm)     | Y (inch)  |
|--------------------------------------|-----------|------------|-----------|
| <b>LEXUS GS250</b> , 4-dr Sedan, 12- | <b>34</b> | <b>991</b> | <b>39</b> |
| <b>LEXUS GS350</b> , 4-dr Sedan, 12- | <b>34</b> | <b>991</b> | <b>39</b> |
| <b>LEXUS GS450</b> , 4-dr Sedan, 12- | <b>34</b> | <b>991</b> | <b>39</b> |

2



LEXUS GS250, 4-dr Sedan, 12-

LEXUS GS350, 4-dr Sedan, 12-

LEXUS GS450, 4-dr Sedan, 12-



3



|                                      | W (mm) | Z (mm) | W (inch) | Z (inch) |
|--------------------------------------|--------|--------|----------|----------|
| <b>LEXUS GS250</b> , 4-dr Sedan, 12- | 210    | 730    | 8 1/4"   | 28 3/4"  |
| <b>LEXUS GS350</b> , 4-dr Sedan, 12- | 210    | 730    | 8 1/4"   | 28 3/4"  |
| <b>LEXUS GS450</b> , 4-dr Sedan, 12- | 210    | 730    | 8 1/4"   | 28 3/4"  |

